

Iso-Alustar Z2

-easy to use in multiple applications & low melting times

Introduction

Iso-Alustar Z2 is a premium quality, hybrid ceramic bonded clay graphite crucible with a high silicon carbide content, that is manufactured through an advanced iso-static pressing process.

Morgan Molten Metal Systems uses a proprietary processing technology that results in a product with a very homogenous and high density structure. This allows the crucible to obtain superior thermal conductivity over its entire operating temperature range, high mechanical strength and erosion resistance along with good thermal shock resistance.

Applications

Iso-Alustar Z2 are designed to perform exceptionally well to melt and hold copper and copper alloys in induction and fuel fired furnaces as well as in zinc distillation applications.



Typical Metal Casting Temperature

900°C - 1400°C (1652°F - 2552°F)

Performance Characteristics

- Very good thermal conductivity
- Very good resistance to chemical attack
- High mechanical strength and good erosion resistance
- Good thermal shock resistance
- High refractoriness

Identification

Iso-Alustar Z2 crucibles are finished in a black colour.

Pattern Range

Iso-Alustar Z2 crucibles are available in a range of shapes and sizes to suit most end user requirements. Sizes can be made available with pyrometer pocket to facilitate measurement of metal temperature. A wide range of pouring lips and spouts is available.

Quality

Iso-Alustar Z2 crucibles are manufactured from premium grade raw materials under an ISO 9001:2008 quality management system.

For more information, contact us today.